

# Estimating Intertemporal Allocation Parameters using Simulated Residual Estimation\*

Sule Alan  
Department of Economics  
York University, Canada  
and  
University of Copenhagen, Denmark  
Sule.Alan@econ.ku.dk

Martin Browning  
Institute of Economics  
University of Copenhagen  
Denmark  
Martin.Browning@econ.ku.dk

October 23, 2002

## Abstract

There is widespread agreement that given currently available data, we cannot accurately estimate the parameters of intertemporal allocation using GMM on Euler equations, whether they be exact or approximate. Our reading of this literature and our own results is that this is a small sample (strictly, short panel) problem. The alternative seems to be to move to full structural modelling. In the current state of the art this is cumbersome, fragile and unable to deal with significant heterogeneity. We present a novel structural estimation procedure that is based on simulating expectation errors; we refer to it as Simulated Residual Estimation (SRE). We develop variants of the basic procedure that allow us to account for measurement error in consumption, the 'news' in interest rate realisations and for heterogeneity in discount factors.

An investigation of the small sample properties of the SRE estimator indicates that it dominates GMM estimation of both exact and approximate Euler equations in the case when we have short panels and noisy

---

\*We thank Orazio Attanasio, Hamish Low, Lonnie Magee, Mike Veall and participants in the 2001 NBER Summer workshop for comments on the work reported in this paper. This paper was written during a visit by Sule Alan to the Institute of Economics at the University of Copenhagen. She thanks the Institute and the Centre for Applied Microeconomics (CAM) for support. We are grateful to the Danish National Research Foundation (Grundforskningsfond) for support through its grant to CAM.

consumption data. An empirical application to two panels drawn from the PSID are presented. The results are very encouraging. We find that we can estimate the parameters of intertemporal allocation much more precisely than with a conventional GMM on a log-linearised model. For example, we find that the 95% confidence interval for the EIS is  $[0.33, 0.70]$  for the more educated whereas the linearised GMM confidence interval is  $[-0.95, 1.41]$ . Moreover, the parameter estimates seem quite reasonable. For example, we find discount factors that are less than, but close to unity. We also find a higher discount factor for the more educated group. We find that the more educated have a lower CRRA which we interpret to indicate that the constant EIS assumption of the iso-elastic form is rejected. Finally we present results for a model that allows for heterogeneity in the discount factor within education groups. We reject strongly the homogeneity assumption and find that discount rates vary significantly within groups.

## 1 Introduction.

Over the past quarter century many attempts have been made to estimate the parameters governing intertemporal allocation using Euler equation techniques applied to micro data; Browning and Lusardi (1996) discuss the results of 25 studies using micro data and conclude that the results are disappointing. A number of recent Monte Carlo based papers have investigated why we experience this failure (Carroll 2001, Ludvigson and Paxson, 2001, Attanasio and Low, 2002). The problems identified are manifold but the most important seem to be the paucity of appropriate data (long panels on consumption) and the problem of dealing with the substantial measurement error in consumption (see Shapiro (1984), Altonji and Siow (1987) and Runkle (1991)). The latter means that we cannot use the exact Euler equation for estimation if the equation is non-linear in parameters (a point first made in the general context of nonlinear GMM by Amemiya (1985)). The use of 'approximate' Euler equations (whether first order or second order) 'solve' the measurement error problem but bring with them new problems in that they introduce latent variables that lead to violations of the orthogonality conditions exploited by GMM methods. Thus Carroll (2001) concludes that "empirical estimation of consumption Euler equations should be abandoned". On the other hand, Attanasio and Low (2002) present results that suggest that the Carroll conclusion is overly pessimistic if we have long panels (40 periods, say) and time series variation in real rates. We do not find this conclusion too comforting for empirical work since we do not have long consumption panels. Thus the emerging consensus seems to be that we must give up on empirical Euler equations and return to estimating consumption functions ('structural models') based on specifying the environment agents face (see Carroll and Samwick (1997), Gourinchas and Parker (2001) and Attanasio, Banks, Meghir and Weber (1999)). In practice these methods are very similar to calibration (as used in, for example, Hubbard, Skinner and Zeldes (1995)). The problems with this approach are that it is very cumbersome and can only

accommodate very limited sources of uncertainty and heterogeneity. Moreover, results may not be robust to small changes in the specification of the structural model (for example, Browning and Ejr n s (2001) show that the Gourinchas and Parker and Attanasio *et al.* (1999) results are very sensitive to how we account for family composition).

In this paper we focus on estimating the parameters of intertemporal allocation. We propose an alternative approach to GMM estimation of Euler equations that is based on simulating the distribution of expectations errors. We term our new procedure 'simulated residual estimation' (SRE). The key to our approach is that associated with every structural model there is a conditional expectations error distribution. We show that if we know this distribution and observe consumption paths and interest rates, then we can identify utility parameters (the discount factor and the elasticity of intertemporal elasticity) without having to specify the underlying stochastic environment. Without extra information the underlying model is not identified, but this is a strength rather than a weakness if we are only interested in preference parameters, since it gives the method robustness as compared with full-fledged structural estimation.

In section 3 we present an analysis of the distributions of expectations errors associated with models that are widely used in the literature (for example, nearly patient agents with unit root income processes, Deaton's (1991) buffer stock model with explicit liquidity constraints and models with impatient agents with self-imposed liquidity constraints). This serves to develop intuition and to illustrate many of the points we wish to make. The main conclusion from our investigations is that almost all models that have been suggested in the literature give an expectations error distribution that can be adequately modelled as a mixture of two lognormal distributions.

To estimate, we use a simulation based method that is in the class of Simulated Minimum Distance (SMD) estimators. This involves the specification of 'auxiliary parameters' which are then matched to their theoretical predictions to estimate the parameters of interest. We find that the conventional linearized Euler equation provides a very simple and convenient vehicle to do this. The method suggested is many orders of magnitude faster than full structural estimation. Above we stated that we can recover the utility parameters if we know the expectations error distribution. Since we never do know the distribution, we address the problem of testing whether the distribution chosen for the estimation procedure is a good approximation using goodness-of-fit tests applied to the predicted distribution.

We present Monte Carlo evidence on our estimator and exact and approximate (GMM based) estimators. We take as designs for these simulations the designs used in the recent papers alluded to above. We find that if consumption is measured with even moderate error, exact Euler equation estimation performs poorly. We also replicate the previous finding that approximate methods do poorly if we have short panels. By contrast, our SMD estimator works well when other estimators do not. In particular, when there is considerable measurement error (for example, half the observed consumption growth variance is due to noise) our estimator works reasonably well even for moderate sample

sizes.

We briefly discuss and analyze the issues of the use of income and asset information in identification and improving precision; accounting for heterogeneity (in preferences and income processes).

The remainder of the paper is organized as follows: The next section provides a detailed analysis of Euler equation for consumption and econometric issues regarding the estimation of such an equation. In Section 3 we present a discussion of the expectational error distributions associated with various models in the literature. Section 4 presents our SRE technique and presents some Monte Carlo results. In Section 5, we discuss the small sample properties of the estimator we propose as well as the properties of the traditional GMM based estimators. Section 6 presents an empirical application of two panels drawn from PSID. Section 7 concludes.

## 2 Euler Equation Estimation.

### 2.1 Exact Euler equation estimation.

We consider a standard intertemporal optimization problem for which agent  $h$  has expected utility at time  $t$  of:

$$E_{h,t} \left[ \sum_{j=0}^{T-t} \frac{v(C_{h,t+j})}{(1+\delta)^j} \right] \quad (1)$$

where  $C$  is non-durable consumption,  $v(\cdot)$  is an increasing, strictly concave sub-utility function,  $\delta$  is a discount rate and  $E_{ht}(\cdot)$  denotes the expectations operator conditional on the information that agent  $h$  has at time  $t$ . The evolution of assets over time is given by:

$$A_{h,t+j+1} = (1 + r_{h,t+j})A_{h,t+j} + Y_{h,t+j} - C_{h,t+j} \quad (2)$$

where  $A$  is assets,  $Y$  is stochastic labor income and  $r$  is the stochastic real rate of interest. The first order condition for the optimization problem gives the Euler equation for consumption:

$$v'(C_{h,t}) = \frac{1}{(1+\delta)} E_{ht} [(1 + r_{h,t+1})v'(C_{h,t+1})] \quad (3)$$

A widely used functional form for the sub-utility function is the iso-elastic form:

$$v(C_{h,t}) = \frac{(C_{h,t})^{(1-\gamma)}}{(1-\gamma)} \quad (4)$$

where the parameter  $\gamma$  is the coefficient of relative risk aversion (CRRA), which we assume is the same for everyone. Interest usually centres on the inverse of this parameter, the elasticity of intertemporal substitution (EIS):

$$\phi = \frac{1}{\gamma} \quad (5)$$

Low values of the EIS indicate an aversion to fluctuating consumption streams.<sup>1</sup> For the iso-elastic case with exponential discounting the only other preference parameter in this program is the discount rate  $\delta$ . From the above we have the *exact Euler equation*:

$$\left(\frac{C_{h,t+1}}{C_{h,t}}\right)^\gamma \frac{(1+r_{h,t+1})}{(1+\delta)} = 1 + \varepsilon_{h,t+1} \text{ with } E_{h,t}(\varepsilon_{h,t+1}) = 0 \quad (6)$$

This relationship has been the basis of very many estimates of the preference parameters and tests for the validity of the standard orthogonality assumptions in general and for the “excess sensitivity” of consumption to predictable income growth in particular. GMM estimation is based on the assumed orthogonality of the error term  $\varepsilon_{h,t+1}$  to all variables dated  $t$  or before, such as lagged consumption, interest rate and income variables. As originally emphasized by Hall (1978), this is a very attractive procedure since one can estimate the preference parameters without explicitly parameterizing the stochastic environment that agents face.

Problems for GMM estimation on micro data arise if the consumption data are measured with error. For example, if we allow for a multiplicative measurement error so that observed consumption  $C_{h,t}^o$  is given by:

$$C_{h,t}^o = C_{h,t}\eta_{h,t} \text{ with } E(\eta_{h,t}) = 1 \quad (7)$$

then the exact Euler equation for observable consumption becomes

$$\left(\frac{C_{h,t+1}^o}{C_{h,t}^o}\right)^{-\gamma} \frac{(1+r_{h,t+1})}{(1+\delta)} = \left(\frac{\eta_{h,t+1}}{\eta_{h,t}}\right)^{-\gamma} (1 + \varepsilon_{h,t+1}) \quad (8)$$

The problem this gives is that the composite error term does not have a conditional expectation of unity, even if we assume that  $\eta_{h,t+1}$  and  $\varepsilon_{h,t+1}$  are independent:

$$\begin{aligned} E_t \left[ \left(\frac{\eta_{h,t+1}}{\eta_{h,t}}\right)^{-\gamma} (1 + \varepsilon_{h,t+1}) \right] &= E_t \left(\frac{\eta_{h,t+1}}{\eta_{h,t}}\right)^{-\gamma} E_t (1 + \varepsilon_{h,t+1}) \\ &= (\eta_{h,t})^\gamma E_t (\eta_{h,t+1})^{-\gamma} \neq 1 \end{aligned} \quad (9)$$

It is now widely accepted that household level consumption data information is likely to be very noisy. For example, Runkle (1991) estimates that 76% of the variation in the growth rate of food consumption in the PSID is noise. Dynan (1993) reports that the standard deviation of changes in log consumption in the CEX (American Consumer Expenditure Survey) is 0.2, which seems too large for ‘true’ variations. The other widely used data resource are quasi-panels, constructed from cross-section expenditure survey information by taking within-period means following the same population (e.g. means over all the 25 year olds

---

<sup>1</sup> We prefer to emphasise the role of this parameter as representing aversion to fluctuations rather than to risk since it is operative even when there is no uncertainty.

in one year and all the 26 year olds in the next year). Although this averaging reduces the effect of measurement error, the construction of quasi-panels from samples which change over time induces sampling error which is very much like measurement error.

The presence of measurement error when estimating non-linear equations is problematic. In our context, the basic problem is that measurement error makes it appear as though consumption is less smooth over time than it actually is, which results in too low an estimate for the CRRA (with a consequent bias of the EIS away from zero). Carroll (2001) shows this in simulations with only cross-section variation in interest rates ( $r_{h,t} = r_h$  for all  $t$ ). To show the extent of the problem when we have time varying interest rates, we take a similar environment to Carroll (2001)<sup>2</sup> with the polar case in which everyone faces the same stochastic interest rate ( $r_{h,t} = r_t$  for all  $h$ ). We construct optimal consumption paths with a CRRA of 4 and then add a multiplicative error on the consumption values. Taking a measurement error variance such that 50% (respectively, 75%) of the time series variation is noise, the average CRRA estimate is 2.13 (0.9 respectively) which indicates substantial bias. Increasing the number of cross section units does not affect the bias.

## 2.2 Approximate Euler equation estimation.

A natural alternative to GMM estimation of the exact Euler equation is GMM estimation of the first or second order approximation to the nonlinear Euler equation (the first derivation is due to Hansen and Singleton(1983); see, for example, Carroll (2001) for the derivations we now present). From equation (6) we have the following (log) quadratic consumption growth equation:

$$\Delta \log C_{h,t+1} - \alpha - \frac{1}{\gamma} r_{h,t+1} - \frac{\gamma}{2} (\Delta \log C_{h,t+1})^2 = e_{h,t+1} \quad (10)$$

where the constant term  $\alpha$  contains the discount rate and means of the third and higher order unconditional moments of the error term  $\varepsilon_{h,t+1}$ . The error term  $e_{h,t+1}$  contains the expectational error and also time varying components of the higher conditional moments (conditional on past information).<sup>3</sup> The first order log-linear approximation (equation (10) without the squared term) has been used very extensively in the applied micro literature due to the fact that a multiplicative measurement error becomes additive as a result of log linearization. The usual (and uncontroversial) assumption is that the instruments other than consumption that are used in the estimation are uncorrelated with the measurement error. The *MA*(1) error structure induced in the errors due to

<sup>2</sup> Fuller details of our simulation procedures will be given below.

<sup>3</sup> This brings out clearly that the one parameter  $\gamma$  controls attitudes to fluctuating consumption paths (through the coefficient on the real rate) and prudence (through the coefficient on the squared term). This close identification of fluctuation aversion and prudence is solely a result of using the iso-elastic form; other forms break the link between aversion to fluctuations and prudence (for example, the quadratic utility function has fluctuation aversion but no prudence).

the measurement error is easily accounted for in GMM. Most researchers use twice (or more) lagged variables for instruments (but note that we could use first lags of any variable other than consumption since these are assumed uncorrelated with the measurement error). The problem with this approach is that the movements in the higher order moments (for example, the skewness) that are subsumed into the error term will generally cause it to be correlated with lagged variables, which leaves us without any instruments for GMM.

Here we present a brief discussion of the findings of Carroll (2001), Ludvigson and Paxson (2001) and Attanasio and Low (2002); in our simulations we shall replicate many of their results and discuss them in greater detail. Ludvigson and Paxson (2001) solve and simulate a life cycle model with stochastic income and an additively separable iso-elastic utility function assuming a fixed interest rate of 3% and a discount rate of 5% (so that agents are assumed to be impatient)<sup>4</sup>. They then follow Dynan (1993) and use the simulated data to estimate relative prudence using the second order approximation to the Euler equation (equation (10) with no interest rate)<sup>5</sup>. They find that the estimate of the CRRA is downward biased; that is, it is estimated that agents are less averse to fluctuations than they actually are. Carroll (2001) performs a similar analysis allowing for cross-section variation in the interest rate, but no time series variation. He finds that the estimate of the CRRA is upward biased. Below we shall argue that the differences between the two sets of analyses can be traced to the different income processes used.

Neither Ludvigson and Paxson nor Carroll allow for time variation in interest rates to identify the EIS. Our own feeling is that trying to estimate a price elasticity (the EIS) without some price variation is almost certainly doomed to failure. Attanasio and Low (2002) present results allowing for time series variation in interest rates. They solve and simulate a simple life cycle model with stochastic income and interest rates and then estimate first and second order approximations to the Euler equation. They argue that one can estimate the EIS consistently if the time period of the sample is long enough<sup>6</sup>. However, for panel lengths of, say, 20 periods there is still considerable bias, so that the Attanasio and Low results are not very encouraging empirically. Attanasio and Low also show in their Monte Carlo study that the precision of the estimates increases considerably with the variance of the interest rate. A potential problem they identify is that even moderately impatient agents will typically hold net wealth stocks that are close to any borrowing limit they face. In this case consumption becomes very sensitive to the income shocks and it is difficult to extract the relatively small variations in consumption growth due to interest

---

<sup>4</sup>The term ‘impatient’ here and henceforth refers to the condition  $\delta - r > 0$ . Note that, if income grows overtime, consumers can be impatient even if  $\delta = r$ . But for all the models considered in this paper zero income growth is assumed.

<sup>5</sup>In the case of iso-elastic utility, the relative prudence parameter is  $\frac{\gamma+1}{2}$ . Ludvigson and Paxson (2001) assume fixed interest rate and estimate the equation

$$\Delta \log C_{h,t+1} = \alpha + \frac{\gamma+1}{2} (\Delta \log C_{h,t+1})^2 + e_{h,t+1}.$$

<sup>6</sup>They use the term ‘consistent’ as  $T \rightarrow \infty$ . They experiment with different  $T$  and show that the mean estimate of the EIS approaches its true value while the estimated standard errors become smaller as  $T$  increases.

rate changes. Note however that this problem is not special to the approximate Euler equations; our simulations presented below suggest that the same problem arises for exact Euler equation with no measurement error.

### 2.3 The implications of these analyses.

We draw the following implications from the analyses of Ludvigson and Paxson (2001), Carroll (2001), Attanasio and Low (2000) and our own supplementary investigations.

1. There is not much point in trying to estimate price elasticities (such as the EIS) without some variation in the price (in this context, variations in the real interest rate).
2. Attempts to gauge the extent of prudence are more successful if agents are impatient since then we will be observing the buffer stock savings due to income uncertainty.
3. Attempts to measure the EIS (reactions to interest rate changes) are more successful if agents are patient and build up wealth. In this case, temporary changes in income do not lead agents to vary consumption (since they have assets to smooth their consumption) so that the extraction of the consumption growth/ interest rate signal is easier.
4. If there is a liquidity constraint and agents are sometimes constrained, then the Euler equation does not hold in periods of constraint and consumption is not affected at all by the interest rate (an effective EIS of zero). This leads to a downward bias in the estimate of the EIS if we do not observe whether or not the agent is constrained and proceed as if they never are.
5. Measurement error introduces considerable bias into GMM exact Euler equation estimates of the EIS, even if there is substantial variation in the interest rate. This problem does not reduce if we have a large number of cross-section units.
6. Generally, approximate Euler equation methods do badly, but the results of Attanasio and Low show clearly that this is a small sample (small  $T$ ) problem. This requires a small- $T$  solution, for the typical case in which we have short and noisy panels.

The net result of the above is that we agree with Carroll (2001) and Ludvigson and Paxson (2001) that the econometric methods we currently have to hand are not up to estimating the EIS (or the discount rate) on short and noisy panels. What alternatives remain? One is to revert to old style consumption studies that are only loosely linked to conventional life-cycle theory. This is not very attractive to a generation raised on dynamic general equilibrium models and empirical modelling that stays close to the theory. A second alternative is to move to estimation based on structural models. Thus Carroll and Samwick



(1997) perform a structural estimation in which they identify the discount rate; all of the other parameters are fixed at ‘reasonable’ values. Gourinchas and Parker (2001) use structural estimation to estimate the EIS and the discount factor. They use CEX information and Method of Simulated Moments estimation which matches the moments generated by the data with that of simulated data. This procedure involves the numerical solution of the dynamic programming problem for every parameter value that the estimation procedure considers. The procedure is extremely slow. An obvious problem regarding this approach is the fact that one needs to specify the underlying stochastic process (income process in their case since they use a fixed interest rate) which is not necessary for Euler equation estimation (whether exact or approximate). It is not clear whether a slight misspecification of the income process will not completely change the results. To examine this would require that the estimation procedure be analyzed under misspecification, which would be extremely time consuming. Although full structural modelling is potentially promising, an alternative is needed that reduces substantially the computational burden without sacrificing the close link to the theory. We present here an alternative that relies on simulating the distribution of expectations errors directly.

### 3 The distribution of expectation errors.

Below we shall present an alternative approach to GMM which is based sampling from the distribution of the expectations error. In this section we present an extended discussion of the distributions associated with various models in the literature. In order to illustrate our point, we present a wide range of models with different sets of parameters and different income processes within the time separable iso-elastic utility framework. We consider both fixed and stochastic interest rate models. We assume a finite lifetime of 70 periods with no bequest motive and we start all agents off with zero wealth. After generating a 70-period consumption path for an individual, we remove the first and the last 10 periods. Further details of the simulation methods are given in the Appendix. Table 1 presents the features of all the 14 models we consider. The main differences across models are in the income processes; the degree of impatience; the presence of liquidity constraints; and the presence of heterogeneity. We assume that agents face two types of income shocks, permanent and transitory. The assumed income process is as follows

$$Y_{h,t+1} = P_{h,t}\varepsilon_{h,t+1}$$

where  $\varepsilon_{t+1}$  is iid transitory shock with mean 1 and a constant variance  $e^{\sigma_\varepsilon^2} - 1$ ,  $P_{h,t}$  is permanent income which follows the following random walk process

$$P_{h,t+1} = P_{h,t}z_{h,t+1}$$

where  $z_{h,t+1}$  is an iid permanent shock with mean one and a constant variance  $e^{\sigma_z^2} - 1$ . We assume that the innovations to income are independent over time and across individuals so that we assume away aggregate shocks to income.

	CRRA	Real	Income	Liquidity
Model	$\gamma$	rate, $r$	process	constraint
1	4	0.05 (0)	$\sigma_z = 0.02, \sigma_\varepsilon = 0.1$	No
2	2	0.05 (0)	$\sigma_z = 0.02, \sigma_\varepsilon = 0.1$	No
3	4	0.03 (0)	$\sigma_z = 0.02, \sigma_\varepsilon = 0.1$	No
4	4	0.05 (0)	$\sigma_z = 0.05, \sigma_\varepsilon = 0.1$	No
5	4	0.05 (0)	IID normal $\sigma_t = 0.1$	No
6	4	0.05 (0)	Carroll Process*	Implicit
7	4	0.05 (0)	$\sigma_z = 0.02, \sigma_\varepsilon = 0.1$	Yes
8	4	0.03 (0)	$\sigma_z = 0.02, \sigma_\varepsilon = 0.1$	Yes
9	4	0.05 (0.025)	$\sigma_z = 0.02, \sigma_\varepsilon = 0.1$	No
10(1&2)	2 or 4	0.05 (0)	$\sigma_z = 0.02, \sigma_\varepsilon = 0.1$	No
11(1&3)	4	0.05/0.03	$\sigma_z = 0.02, \sigma_\varepsilon = 0.1$	No
12 (1&4)	4	0.05 (0)	mixed	No
13	Model 1 with low measurement error ( $\sigma_\eta = 0.02$ , 35% noise)			
14	Model 1 with severe measurement error ( $\sigma_\eta = 0.03$ 80% noise)			
Note: variance of $r$ in parentheses. Discount rate = 0.05 for all models. $\sigma_z$ : std of permanent income shocks, $\sigma_\varepsilon$ : std of transitory income shocks				
* Model 1 with 1% probability of zero income.				

Table 1: Models

Model 1 is our benchmark model with a standard CRRA (of 4), the discount rate equal to the real rate of interest and no liquidity constraints. Most of our models are simple variants of the benchmark. Model 2 allows for less aversion to fluctuations (risk), specifically a CRRA of 2. Model 3 allows for impatience. Model 4 is the same as the benchmark model except now we have a higher permanent income variance. In Models 5 agents face iid normal income shocks with unit mean and a constant variance. Model 6 assumes the same income process as the benchmark model, but in this case the process is given a small probability of zero income in any period. This assumption imposes an implicit liquidity constraint so agents choose not to borrow in any period over the life cycle. Note that this case differs from a Deaton type buffer stock model where the liquidity constraint is explicit. Since agents optimally choose not to borrow Euler equations always hold. Model 7 imposes an explicit liquidity constraint and model 8 imposes the liquidity constraint on impatient agents (a Deaton buffer stock environment). Model 9 is the same as the baseline model with a stochastic real interest rate. Models 10, 11 and 12 allow for some heterogeneity. Model 10 allows that there may be heterogeneity in the CRRA; specifically we assume a mixing model in which agents have  $\gamma = 4$  or  $\gamma = 2$  with probability one half. Model 11 mixes impatient and patient agents (heterogeneity in discount rates). Model 12 allows that agents have different income processes; specifically they have a low or high permanent income variance with probability half. Finally, the last two models experiments with lognormally distributed measurement er-

Mod	mean	std	skw	krt	U-test	L-test	M-test
1	1.00	.081	.256	3.10	68	23	47
2	1.00	.040	.111	3.05	75	98	93
3	1.00	.090	.285	3.17	62	59	93
4	1.00	.173	.537	3.55	88	63	32
5	1.00	.024	-.064	3.07	62	0.0	51
6	1.00	.159	8.38	294	78	0.0	0.0
7	1.00	.085	.361	4.59	65	18	72
8	.992	.158	1.60	21.3	0.0	0.0	0.0
9	1.01	.143	.405	3.25	0.0	76	61
10	1.00	.064	.252	3.81	71	0.0	37
11	1.00	.086	.283	3.18	65	64	93
12	1.00	.135	.493	4.23	99	0.0	89
13	1.00	.099	.309	3.22	2.2	89	39
14	1.02	.204	.602	3.68	0.0	96	59

U-test is p-value (in %) for a unit mean; L-test is p-value for lognormality; M-test is p-value for mixture of lognormals.  
Number of observations = 15,000

Table 2: Distributions of Expectational Errors for Different Models

ror. In these cases we allow for measurement error in the benchmark model. In model 13, 35% of consumption growth variation is noise whereas the noise is increased to 80% in the last model.

For models 1 to 9, consumption paths were generated for 500 ex-ante identical individuals. Given time paths  $C_{h,t}$ , we generate errors for agent  $h$  in period  $t + 1$  by:

$$\varepsilon_{h,t+1} = \left( \frac{C_{h,t+1}}{C_{h,t}} \right)^{-\gamma} \frac{(1 + r_{t+1})}{(1 + \delta)} \quad (11)$$

In each case we use only the observations from periods 10 to 60 (to give expectations errors for periods 11 to 60) to minimize the impact of starting and end effects. Consumption paths for models 10 to 14 are generated from the consumption paths of models 1 to 9. For the mixing models 10 to 12 we randomly select 250 paths from each of the component models and use these. For the measurement error models 13 and 14, we take the consumption paths from model 1 and generate observed paths with independent, multiplicative, unit mean and lognormal measurement errors to each of the 'true' consumptions. Distributional features of the expectations errors for these 14 models are presented in Table 2.

The first four columns of Table 2 give the first four moments for the distribution. The next column gives the probability for a test that the mean is unity. The final two columns give tests that the distribution is lognormal and a mixture of two lognormals respectively.

The main features of the expectational error distribution for the benchmark

model (model 1) are that it has unit mean (as we would expect) and some skewness. The right (positive) skewness is observed for most of our models; it reflects the concavity of consumption function in cash-on-hand (current earnings plus non-labour wealth) and the asymmetry of the income processes we use in all models except for model 5. Although the skewness is small, a formal test of Normality rejects decisively. Instead we find that the expectations errors for this simple model appear to be lognormally distributed (see the column headed L-test). Model 2 differs from the benchmark in having a lower risk aversion. As can be seen, a lower CRRA is associated with a lower standard deviation for the unconditional expectations errors.<sup>7</sup> The mapping from the CRRA to the expectations error variance seen in this simple comparison forms a partial basis for identification in the estimation scheme we present below. Of course, the variance of the distribution will also depend on environmental factors such as the amount of interest rate variation and the underlying earnings process, so that more is required for identification. Note as well that a lower aversion to fluctuations leads to lower skewness; this reflects the fact that a lower CRRA is closer to linear (risk neutrality which in turn implies no prudence) so that the consumption function is less concave. A comparison of models 1 and 3 reveals that higher impatience is associated with a higher variance and slightly more skewness. Once again we do not reject lognormality. Model 4 indicates that a higher income variance leads to a higher error variance distribution with larger skewness and kurtosis. All of models 1 to 4 are very standard and, as we have seen, generate lognormal expectations error distributions.

In model 5 we vary the income process to being simply an iid process with a unit mean.<sup>8</sup> As can be seen, the expectations error distribution for this process is not right skewed and we reject lognormality but not the mixture model. In model 6 we assume the baseline environment except that agents are sometimes (but rarely) hit by a zero income draw. In this case, current consumption relative to the previous and following period is small (except in the very rare case in which the agent receives two consecutive zero income draws). Since we then take (the inverse of) fourth powers, the associated expectations errors are very large, hence the very pronounced skewness and kurtosis. Although such a process is not very realistic, it serves to illustrate that expectations errors can be very far from lognormal or the mixture of lognormals, as can be seen from the reported probabilities. The fact that we cannot model the error distribution as a mixture of lognormals for such an extreme process does not unduly worry us since we never observe such a process in the data.

Models 7 and 8 introduce a no-borrowing constraint. These constraints rarely bind for model 7 agents and the consequent error distribution is very similar to the benchmark distribution. However, the same is not true for the model 8 in which the agents are impatient. They never accumulate much in the

---

<sup>7</sup>The variances of consumption growth for the two models (not shown) are very similar so that the lower value in model 2 is because we are taking the inverse of a square rather than the inverse of the fourth power (see equation (11)).

<sup>8</sup>In practice, we take a discrete approximation to the Normal with many points of support. The support of the discrete approximation is bounded away from zero.

way of assets and often bump up against the borrowing limit which gives them a lower current consumption than they would wish, relative to the future. The effect on the expectations error distribution for the model 8 is interesting. First we see that the mean is less than unity.<sup>9</sup> Second, the other moments are quite different from those of the benchmark model. Finally, we see that a mixture of lognormals does not fit the distribution.

In model 9 we extend the benchmark model by allowing for a stochastic real rate. One disturbing feature of the distribution for this model is that although the mean of the expectations error is very close to unity it is statistically significantly different from unity. We have no explanation for this finding. Other than this, we find a higher variance than for the benchmark model but we do not reject lognormality.

Turning to the effect of heterogeneity, we see from the results for model 9 that introducing heterogeneity in the CRRA leads to moments that are similar to those of the models for which it is a mixture (models 1 and 2) but a decisive rejection of lognormality. The mixture of lognormals is not rejected. For discount rate heterogeneity (with no liquidity constraints), we find very similar results to the component models (1 and 3) with no rejection of lognormality. For income process heterogeneity (model 12) we find fatter tails and a consequent rejection of lognormality but not of the mixture model.

Finally we turn to the effects of measurement error. As can be seen, adding more measurement error increases mean of the expectations errors (see equation (9)) and the error variance. However, the distribution changes in such a way that lognormality is preserved.

In this section we have presented the expectations error distributions associated with a wide range of models. A number of points emerge. First, different underlying environments may give rise to very similar distributions (compare models 1 and 7). As we shall discuss below, this will impact on the data needs for identification. Second, most of the expectations error distributions we have derived are right skewed; it is not clear how general this property is. Third, we do not reject lognormality for many of our models and we do not reject a mixture of lognormals with a unit mean for most models. This will be used extensively in our estimation procedure. The two major deviations from the mixture of lognormals occur when we use a Carroll income processes or there are explicit liquidity constraints and agents are impatient (the Deaton buffer stock model). In our empirical work below we select households who are less likely to be in this class of agents.

---

<sup>9</sup>This is for the error distribution. The ratio of current to lagged consumption also should be below unity since the agent is impatient.

## 4 Estimation methods.

### 4.1 Simulated Minimum Distance.

Our estimation procedure is simulation based. Following Hall and Rust (1999) we refer to the general technique as Simulated Minimum Distance (SMD) since it is based on matching (minimizing the distance between) statistics from the data and from a simulated model. The class of SMD estimators includes the EMM procedure of Gallant and Tauchen (1996) and the Indirect Inference methods of Gouriéroux, Monfort and Renault (1993). Here we present a short account of the method as applied generally to panel data; see Hall and Rust (1999) and Alvarez, Browning and Ejrnæs (2001) for details.

Suppose that we observe  $h = 1, 2, \dots, H$  units over  $t = 1, 2, \dots, T$  periods recording the values on a set of  $Y$  variables that we wish to model and a set of  $X$  variables that are to be taken as conditioning variables. Thus we record  $\{(Y_1, X_1), \dots, (Y_H, X_H)\}$  where  $Y_h$  is a  $T \times l$  matrix and  $X_h$  is a  $T \times k$  matrix. For modelling we assume that  $Y$  given  $X$  is identically and independently distributed over units with the parametric conditional distribution  $F(Y_h|X_h; \theta)$ , where  $\theta$  is an  $m$ -vector of parameters.<sup>10</sup> If this distribution is tractable enough we could derive a likelihood function and use either maximum likelihood estimation or simulated maximum likelihood estimation. Alternatively, we might derive some moment implications of this distribution for observables and use GMM to recover estimates of a subset of the parameter vector. Sometimes, however, deriving the likelihood function is extremely onerous; in that case, we can use SMD if we can simulate  $Y_h$  given the observed  $X_h$  and parameters for the model. Thus we choose a integer  $S$  for the number of replications and then generate  $S * H$  simulated outcomes  $\{(Y_1^1, X_1), \dots, (Y_H^1, X_H), (Y_1^2, X_1), \dots, (Y_H^S, X_H)\}$ ; these outcomes, of course, depend on the model chosen ( $F(\cdot)$ ) and the value of  $\theta$  taken in the model.

Thus we have some data on  $H$  units and some simulated data on  $S * H$  units that have the same form. The obvious procedure is to choose a value for the parameters which minimizes the distance between some features of the real data and the same features of the simulated data. To do this, define a set of auxiliary parameters that are used for matching. Gallant and Tauchen (1996) suggest first finding a ‘score generator’ (flexible quasi-likelihood function) which nests the true model, and then using the score vector from this as auxiliary parameters. In the Gouriéroux *et al.* (1993) Indirect Inference procedure, the auxiliary parameters are maximizers of a given data dependent criterion which constitutes an approximation to the true DGP. Both of these approaches are motivated by attempts to derive estimators that have efficiency properties that are close to MLE. In Hall and Rust (1999), the auxiliary parameters are simply statistics that describe important aspects of the data; this is very close to calibration. We follow this approach. Thus we first define a set of auxiliary parameters (below

---

<sup>10</sup>This could be generalised to allow for dependence on the initial values of the  $Y$  variables, as in Alvarez *et al.* (2001).

we shall discuss in detail how to do this for the intertemporal problem):

$$\gamma_j^D = \frac{1}{H} \sum_{h=1}^H g^j(Y_h, X_h), \quad j = 1, 2 \dots J \quad (12)$$

where  $J \geq m$  so that we have at least as many auxiliary parameters as model parameters. Denote the  $J$ -vector of auxiliary parameters derived from the data by  $\gamma^D$ . Using the same functions  $g^j(\cdot)$  we can also calculate the corresponding values for the simulated data:

$$\gamma_j^S = \frac{1}{S * H} \sum_{s=1}^S \sum_{h=1}^H g^j(Y_h^s, X_h), \quad j = 1, 2 \dots J \quad (13)$$

and denote the corresponding vector by  $\gamma^S(\theta)$  where the notation explicitly shows the dependence on the model parameter values (but not the dependence on the  $X$  variables observed). Identification requires that the Jacobian of the mapping from model parameters to auxiliary parameters has full rank:

$$\text{rank}(\nabla_{\theta} \gamma^S(\theta)) = m \text{ with probability } 1 \quad (14)$$

This effectively requires that the model parameters be ‘relevant’ for the auxiliary parameters.

Given sample and simulated auxiliary parameters we take a  $J \times J$  positive definite matrix  $W$  and define the SMD estimator:

$$\hat{\theta}_{SMD} = \arg \min_{\theta} (\gamma^S(\theta) - \gamma^D)' W (\gamma^S(\theta) - \gamma^D) \quad (15)$$

Alvarez *et al.* (2001) perform a small Monte Carlo study and argue that it is best to work with just identified models ( $J = m$ ). This is largely because the objective function typically has many local minima and we can only be sure we have converged to a global minimum (not necessarily unique) if the model is just identified. In the just identified case the choice of  $W$  is irrelevant (except for computational reasons) and the minimized criterion should be zero. For just identified models, we would conclude that the model is ‘well-specified’ (relative to a particular choice of  $m$  auxiliary parameters) if and only if there is some value of the model parameters such that  $\gamma^S(\hat{\theta}_{SMD}) = \gamma^D$ . Typically we have  $J > m$ ; in this case we use  $m$  of the auxiliary parameters to fit the model and the remaining  $J - m$  auxiliary parameters to test for the goodness of fit.

## 4.2 Simulated Residual Estimation.

We turn now to applying SMD techniques in our specific context. Suppose we have observations on  $H$  households followed for  $T$  years. We begin by assuming that we only observe household consumption in each period and real rates between periods (which we assume to be time varying but common across agents); thus we observe  $\{r, C_h\}_{h=1, \dots, H}$ . Below we shall consider the case where we also

observe earnings and asset levels. For the moment we assume that we observe consumption with no measurement error; we shall deal with this in the next sub-section. Since we introduce two innovations in modelling (SMD and the use of simulated residuals) we begin by considering how we would use SMD to estimate preference parameters if we used full structural modelling with each agent having the same finite horizon  $\Upsilon$  (with  $\Upsilon$  chosen to be somewhat larger than  $T$  to be able to remove the beginning and end effects). We proceed in a number of steps.

1. First we define (perhaps joint) processes for income and the real rate; usually these would be estimated using data taken from the population from which we draw our sample.
2. Next we take parameter values for preferences (typically, the EIS and the discount rate).
3. Then we derive  $\Upsilon$  period specific consumption (policy) functions conditional on current state variables (typically, the current realization of income and the real rate for dependent processes and current cash on hand). It is rarely possible to do this analytically, so that we need to use numerical policy (or value) iteration methods. The last period consumption function is trivial (consume everything) and the consumption functions for the earlier periods are obtained by backward induction.
4. At this point we are ready to start simulation. To simplify the exposition we assume that we set  $S$  (the number of replications of the panel in the SMD estimation procedure) equal to unity and draw  $H$  first period income and real rate values (conditional on ‘period 0’ values for income and the real rate) and give each of the synthetic  $H$  agents a starting value for assets. From the consumption function for period 1 we calculate first period consumption for each agent. We then draw new values of income and the real rate and calculate period 2 consumption and so on. The end result of this is a set of  $\Upsilon$  real rate, consumption, income and asset realizations for each synthetic unit. We then trim these to remove starting and end effects and to give a time series of length  $T$  for each household  $\{r^s, C_h^s\}_{h=1, \dots, H}$  (where now the  $s$  subscript reminds us that this is simulated data).
5. We now need to choose auxiliary parameters. Since we have two parameters (the EIS and the discount rate) we need two auxiliary parameters. Our choice are the OLS coefficients in the simple regression of consumption growth on the real rate:

$$\Delta \log C_{h,t+1} = \alpha + \phi r_{h,t+1} + e_{h,t+1} \quad (16)$$

These are *not* unbiased estimates of the parameters of interest, but (under weak assumptions) they are unbiased estimates of something and that something is the same for the true data and the simulated data if we have the ‘true’ model. It is this property that makes SMD so useful. Note



that we could equally well take the GMM estimates of the two parameters (with the constant and lagged interest rates as instruments) as auxiliary parameters; we prefer the OLS since it is simpler and quicker. We present results below that indicate that the choice of auxiliary parameters is not too important, provided the identification condition is satisfied.

6. The last step gives two sets of estimates:  $(\hat{\alpha}_{OLS}^D, \hat{\phi}_{OLS}^D)$  for the data and  $(\hat{\alpha}_{OLS}^S, \hat{\phi}_{OLS}^S)$  from the simulated data. We now compare the two sets of estimates. If they are the same, we stop. If they differ, we go back to step 2 and choose new parameter values. In practice, of course, we would embed this in an optimization routine or perform a grid search over the EIS and discount factor parameters.

It will be seen that steps 3 and 4 are very time consuming and estimation will be very slow. We now present a technique which cuts out these steps. After step 4 we could define simulated expectation errors:

$$\varepsilon_{h,t+1}^S = \left( \frac{C_{h,t+1}^S}{C_{h,t}^S} \right)^{-\gamma} \frac{(1+r_{t+1})}{(1+\delta)} \quad (17)$$

Conversely, if we knew the distribution of the expectations errors we could simulate expectations errors,  $\varepsilon_{h,t+1}^S$  and then we could construct paths of consumption ratios using:

$$\frac{C_{h,t+1}^S}{C_{h,t}^S} = \left\{ \frac{(1+\delta)}{(1+r_{t+1})} \varepsilon_{h,t+1}^S \right\}^{-\frac{1}{\gamma}} \quad (18)$$

This is, of course, very fast (as compared to steps 3 and 4 above). We then use the simulated paths in steps 5 and 6. The error simulation step requires a specification of the distribution of the expectations errors. One part of this is easy: it should be serially uncorrelated with an unconditional mean of unity. If we now choose a simple two parameter form such as the lognormal then we have one extra model parameter to estimate. This in turn requires an extra auxiliary parameter; the obvious choice in step 5 above is to use the variance of OLS errors. Using a more flexible distribution such as a mixture of lognormals requires more auxiliary parameters for identification; we return to this below. We refer to our estimation procedure as Simulated Residual Estimation (SRE).

Before presenting the full optimization algorithm, we have to digress a little and discuss how to simulate draws from a lognormal distribution with a mean of unity. In the optimization routine for any simulation estimator it is important to keep the draws constant from iteration to iteration, otherwise the optimization routine becomes unstable. We can simulate a lognormal by taking:

$$X \sim \exp(a + bN(0, 1))$$

where  $N(0, 1)$  denotes the standard Normal. The mean and variance of  $X$  are given by:

$$\begin{aligned}\mu_X &= \exp(a) \sqrt{\exp(b^2)} \\ \sigma_X^2 &= \exp(2a) \exp(b^2) (\exp(b^2) - 1)\end{aligned}$$

To ensure that the mean is unity we need to impose:

$$a = -\frac{b^2}{2}$$

Thus if we simulate draws from a lognormal with mean 1 and a standard deviation of  $\sigma_X$  we use:

$$X \sim \exp\left(-\frac{\ln(1 + \sigma_X^2)}{2} + \sqrt{\ln(1 + \sigma_X^2)}N(0, 1)\right)$$

In the algorithm below, the procedure is to draw a matrix vector of standardized Normal variables and then to use this formula to give a lognormal with unit mean and varying standard deviation.

The algorithm for this simple case is:

1. Run OLS on the pooled sample of consumption growth on the real rate and record the estimates of the constant, the slope parameter and the variance of the error term.
2. From the standard Normal, draw standardized simulated residuals  $\nu_{h,t}^S$  for  $t = 2, \dots, T$  and  $h = 1, \dots, H$ . These standardized errors are kept constant from iteration to iteration.
3. Choose a standard deviation for the expectations error distribution  $\sigma_\varepsilon$  and construct simulated expectations errors:

$$\varepsilon_{h,t}^S = \exp\left(-\frac{\ln(1 + \sigma_\varepsilon^2)}{2} + \sqrt{\ln(1 + \sigma_\varepsilon^2)}\nu_{h,t}^S\right) \quad (19)$$

where  $\nu_{h,t}^S$  is standard normal variable. Choose values for the intertemporal allocation parameters  $(\gamma, \delta)$ . Construct consumption ratios using equation (18).

4. Repeat step 1 for the simulated data.
5. If the values from steps 1 and 4 are the same, stop. Otherwise, go to step 3 (so that we keep the same expectations error from iteration to iteration) and revise the choice of  $(\gamma, \delta, \sigma_\varepsilon)$ .

In practice we would once again use either an optimization algorithm to revise parameter values or perform a grid search. In either case the computational time is much lower than for full structural estimation.

### 4.3 Accounting for measurement error.

In the account of SRE given in the last sub-section we ignored the possibility that consumption is measured with error. The log-linearized equation was introduced largely to take account of measurement error since any multiplicative measurement error is incorporated into the error term and as long as it is uncorrelated with the instruments used in the estimation it does not distort the parameter estimates. The only complication arising for GMM estimation of the approximate Euler equation is that the error terms in the consumption growth equation will have an MA(1) structure since we are first differencing the noise. This suggests an auxiliary parameter that will allow us to take account of measurement error in SRE. If we assume that the measurement error is multiplicative lognormal with unit mean then we need to estimate one extra parameter, the standard deviation of the measurement error,  $\sigma_\eta$ . Since the only source of autocorrelation in the error term is the measurement error, we can simply use the extent of the first order autocorrelation as an auxiliary parameter. Specifically, we run the OLS equation (16) and record the OLS parameters and the error first order autocorrelation. We emphasize once again that the latter is not a consistent estimator for anything without very strong assumptions; nevertheless, it is useful. To estimate, we modify the algorithm above to:

1. Run OLS of consumption growth on the real rate and record the estimates of the constant, the slope parameter, the variance of the error term and the autocorrelation parameter of the regression errors.
2. From the standard Normal, draw standardized simulated residuals  $\nu_{h,t}^S$  and measurement errors  $\tilde{\eta}_{h,t}^S$  for  $t = 2, \dots, T$  and  $h = 1, \dots, H$ .
3. Choose standard deviations for the expectations error distribution,  $\sigma_\varepsilon$ , and the measurement error,  $\sigma_\eta$ , and construct simulated expectations errors,  $\varepsilon_{h,t}^S$ , and measurement errors,  $\eta_{h,t}^S$ , as above. Choose values for the intertemporal allocation parameters  $(\gamma, \delta)$ . Construct consumption ratios using equation (18). Introduce measurement error by multiplying the consumption ratio by measurement error ratios to define ‘observed’ simulated consumption ratios:

$$\frac{C_{h,t+1}^S}{C_{h,t}^S} \frac{\eta_{h,t+1}^S}{\eta_{h,t}^S} \quad (20)$$

4. Repeat step 1 for the simulated data with the ‘observed’ simulated consumption ratios.
5. If the values from steps 1 and 4 are the same, stop. Otherwise, go to step 3 and revise the choice of  $(\gamma, \delta, \sigma_\eta, \sigma_\varepsilon)$ .

Thus a simple model with two preference parameters can be estimated using data on (noisy) consumption levels and interest rates. What if we now observe more?

#### 4.4 Using income and asset information.

SRE relies on specifying the conditional distribution of the expectations errors. All of the above only uses consumption and interest rate information. The strength that our method shares with the Euler equation approach is that we do not have to specify the income or interest rate processes. Generally, however, one would expect to achieve better identification by using the observed income series for each household. As we saw in section 2, the lognormality assumption is a poor one if there are sometimes very low income realizations. Our own feeling is that identification in non-standard situations requires more information. If we observe income realizations and sometimes there is very low income then we might condition the variance (or higher moments) of the expectations error distribution on that. In particular, if income has a unit root then the current shock has a permanent component and should have a powerful effect on consumption. Similarly, if we think that agents are sometimes liquidity constrained so that the Euler equation does not hold, then we need to observe asset information. In general, the Euler equation will only hold if positive assets (or assets above some debt limit) are carried forward. We can model this in an SRE framework but we leave this for future work.

### 5 Small sample properties.

In this section we present small sample results on GMM estimation of exact and approximate Euler equations and our Simulated Residual Estimation (SRE) method. We remind the reader that one of the most important conclusions that we take from the recent literature is that the estimation problem here is inherently a small sample one (see the discussion at the end of section 2); hence we do not present any asymptotic results and rely on Monte Carlo simulations alone. We use the same simulation environment as described in section 3. We generate data using a standard life cycle model where a generic consumer maximizes his expected utility subject to his intertemporal budget constraint. Details are given in the Appendix; the following table gives the parameters (the same as for model 9 in table 1) that we use.

For GMM we use continuous updated GMM (see Hansen, Heaton and Yaron (1996)) to remove any dependence on the normalization. For the exact form, we estimate the preference parameters  $\beta$  and  $\gamma$  using the following orthogonality condition on the error term:

$$E_{h,t} \left[ \left( \frac{C_{h,t+1}}{C_{h,t}} \right)^{-\gamma} (1 + r_{h,t+1})\beta - 1 \right] = E_{h,t} [\varepsilon_{h,t+1}] = 0$$

The instruments taken are the constant and lagged real rate, Our second empirical model is the approximate Euler equation:

$$\ln \left( \frac{C_{h,t+1}}{C_{h,t}} \right) = \alpha + \frac{1}{\gamma} r_{t+1} + \varepsilon_{h,t+1}$$

Parameter	Value
Coefficient of Relative Risk Aversion, $\gamma$	4
Discount rate, $\delta$	.05
mean $r$ , $\mu$	0.05
AR(1) coefficient of $r$	0.6
Standard deviation of interest rate shocks, $\sigma_\epsilon$	0.025
mean income innovation, $z$	1
Standard deviation of permanent income innovation, $\sigma_z$	0.02
Standard deviation of transitory income innovation, $\sigma_\varepsilon$	0.1
Standard deviation of measurement error, $\sigma_\eta$	0.03 (50% noise)

Table 3: Parameter Values

The final estimator we use is the Simulated Minimum Distance (SMD) estimator. We use the approximate Euler equation as the auxiliary model and the errors used to generate simulated consumption paths are obtained from imposing a mean 1 lognormal distribution.

In our Monte Carlo experiments, we investigate the small sample properties of SMD, GMM on the exact Euler Equation and GMM on the first order approximation, both with and without measurement error. We perform four sets of experiments. We assume that the econometrician has panel data on consumption and estimates the preference parameters by pooling all individuals together. The baseline experiment is for 10 ex-ante identical households followed for 40 periods and no measurement error. The number of replications is 10,000. The second set of results increases the number of households to 20, holding the number of time periods constant. The third set of results take the baseline case and reduce the number of time periods to 15. Finally, we add moderate measurement error to the consumption paths in the baseline model; specifically with our parameter values, half of the observed standard deviation of first differenced log consumption is noise. Table 4 presents the distributional features of the CRRA and discount factor estimates for our four cases. It is not surprising that in the absence of measurement error and with a long panel (environment 1), GMM using the exact Euler Equation performs the best. The estimator captures the true parameter values fairly precisely. On the other hand, SRE performs almost as well in terms of bias and a good deal better than the approximate GMM estimator. GMM on the approximate equation (AGMM) results in an upward bias in the estimate of the CRRA, even with a relatively large  $T$  and no measurement error in the data. As a by-product of the SMD estimation we obtain the estimates of the standard deviation of the measurement error. Of course, since there is no measurement error, our estimates are necessarily biased but usually close to zero.

When we increase the number of cross-section units there is no significant change in the means of the estimates but the precision increases somewhat for all three estimators. Decreasing the number of time periods from 40 to 15 does lead to some substantial changes. First, as expected the dispersion of all of

Environment				Exact GMM		AGMM	SRE		
	$T$	$N$	$\sigma_\eta$	$\hat{\beta}$	$\hat{\gamma}$	$\hat{\gamma}$	$\hat{\beta}$	$\hat{\gamma}$	$\hat{\sigma}_\eta$
1	40	10	0	.947	3.85	3.10	.949	3.77	.010
				(.009)	(1.20)	(.566)	(.008)	(1.01)	(.008)
2	40	20	0	.951	3.87	3.21	.951	3.96	.010
				(.005)	(1.02)	(.517)	(.006)	(.881)	(.002)
3	15	10	0	.940	6.14	5.71	.944	3.70	.006
				(.014)	(3.75)	(6.36)	(.012)	(1.77)	(.004)
4	40	10	.03	.939	3.18	3.20	.949	3.84	.032
				(.018)	(1.25)	(1.33)	(.012)	(1.69)	(.004)

Notes. True values are  $\gamma = 4$  and  $\beta = 0.952$   
Values are means, in brackets we give the standard deviations.

Table 4: Small Sample Results: Means of the Sampling Distributions and Standard Deviations

the estimators rises considerably. The standard deviations obtained from all estimators have gone up with the most dramatic increase for the approximate GMM estimator and the smallest increase for SRE. Second, both of the GMM estimators exhibit serious bias in the estimates of the CRRA, whereas the SRE seems to be fairly stable. This suggests that SRE has superior small sample properties in the absence of measurement error.

In the fourth experiment, we allow for moderate measurement error in the consumption measurement. The first feature of the estimates given in the Table is that measurement error of this order leads to fairly serious downward bias in the exact GMM estimator. The approximate GMM yields very similar results as for the case without measurement error; this is to be expected given that the approximation is chosen to deal with multiplicative measurement error. Interestingly, the exact and approximate GMM estimates of the CRRA are now very similar. The SRE estimator is relatively unaffected by the presence of measurement error, except that the variance of the estimators is somewhat higher. Additionally SRE appears to recover the measurement error variance very precisely.

The conclusion we draw for these Monte Carlo results are that in a very specific context and using the same model for the SRE as in actually generating the data, SRE does at least as well as exact GMM when there is no measurement error and long panels and considerably better if we have a short panel or measurement error. Additionally, SRE always dominates approximate GMM for the estimation of the CRRA.

## 6 Estimates From the PSID.

### 6.1 Sample selection.

In this section we present an application of SRE using the US PSID. The survey contains annual information on food at home and food at restaurants. Our sample covers the periods between 1974 and 1987 (14 years of a balanced panel). The poverty sample, liquidity constrained sample, household head aged over 65 were dropped from the sample. Finally, we excluded households with extreme consumption changes from one year to another. Specifically, households whose consumption increase more than 150% or decreased more than 75% in any year are excluded from the sample. The final sample has total 155 households. Although this is a very small sample, it is ideally suited to our purposes since it is very 'clean' in terms of the model. In future work we shall explore how to incorporate liquidity constrained households, large changes in household structure, large changes in circumstances that lead to significant changes in consumption etc.. We divide the sample into two education groups since we expect that the level of impatience and aversion to consumption fluctuations may vary across different education groups. Households whose head has less than 12 years of education are labeled as "less educated" (61 households) and those with more than 12 years are labeled as "more educated" (94 households). We allow for variation over time in householdsize, marital status and number of children.

### 6.2 Estimation of the homogeneous model.

We begin by estimating a model in which the discount factor and the eis are assumed to be homogeneous within each education group. In order to obtain the auxiliary parameters we estimate the usual first order approximation to the consumption Euler equation by OLS. Since the related empirical literature has mostly relied on instrumental variable estimation of the log-linearized Euler equation we also present the IV estimates for comparison purposes. In both cases we have included the first difference of demographics. We use twice lagged interest rates and twice lagged consumption growth as instruments for the IV estimations. Table (5) presents the IV estimates and the OLS auxiliary parameter estimates used for the SRE. The latter are the constant, the coefficient on the real rate, the second to fourth moments of the residuals and the AR parameter in a regression of the residuals on their lagged values. The results presented are typical for this literature. In particular, the coefficient on the real rate is very imprecisely determined with confidence intervals of  $[-2.01, 0.99]$  and  $[-0.93, 1.38]$  for the less educated and more educated respectively. There is also significant negative autocorrelation in the residuals. Finally the OLS and IVE estimates are (statistically) similar, reflecting the weakness of our instruments.

In the light of Table (2) we employ SRE by assuming that the expectational errors distribution can be parameterized using a mixture of two lognormal distributions both with a mean of unity. In order to identify the three parameters of the mixture distribution (the two variances and the mixing probability) we

Estimated parameter	Low education		High education	
	OLS	IVE	OLS	IVE
Constant	.068	.101	.022	.018
	(.053)	(.056)	(.046)	(.049)
Coefficient on real rate	.19	-0.51	.21	.23
	(.453)	(.752)	(.351)	(.585)
std of residuals	.322	.324	.299	.307
skewness of residuals	-.507	-.501	-.315	-.337
kurtosis of residuals	4.79	4.81	4.18	4.26
AR(1) coefficient of residuals	-.443	-.469	-.387	-.391
	(.044)	(.039)	(.029)	(.031)

Table 5: Auxiliary Parameter Estimates

use the standard deviation, skewness and kurtosis of the OLS regression residuals obtained from the PSID sample. For the measurement error we take a unit mean lognormally distributed multiplicative measurement error and estimate its standard deviation within the SRE procedure. The autoregressive coefficient of regression residuals is used to identify the percentage of noise in the sample.<sup>11</sup> Thus for the mixture model we have six auxiliary parameters and six model parameters (the two preference parameters, the measurement error variance, and the parameters of the mixed expectational error distribution).

Table 6 presents SRE estimates of the discount factor, the coefficient of risk aversion and the percentage of noise in the consumption growth data for each education group.<sup>12</sup> We present results for both the lognormal<sup>13</sup> and the mixture of lognormal assumptions. For each set of estimates we performed a Kolmogorov-Smirnov test to see how well we match the regression error distribution and the consumption growth distribution for each education group. As can be seen, the simple log-normal specification for the expectational errors leads to lower discount factor estimates and higher CRRA estimates relative to the mixture specification. For the measurement error variance, it does not seem to matter which expectations error distribution we assume: both methods consistently find that about 60 percent of observed consumption growth variation is noise. Estimation with a simple lognormal does a poor job in matching the consumption growth distribution of the PSID sample whereas the mixture distribution fits extremely well. For the (preferred) mixture model, the discount rate estimates are 8% and 5% for the less educated and the more educated groups respectively (we present confidence bands below). Given that the average real rate from the sample period is approximately 2.5%, the discount factor estimates suggest

<sup>11</sup>This is attributing all of the MA(1) structure in the regression residuals to measurement error. Other sources that have been suggested are random preference shocks and time aggregation.

<sup>12</sup>We do not present standard errors since the model is nonlinear; tests of hypotheses of interest will be given below.

<sup>13</sup>For the log-normal model we drop the skewness and kurtosis as auxiliary parameters.



Parameters	Low education		High education	
	LN	Mixed	LN	Mixed
Discount factor, $\beta$	.89	.92	.84	.95
CRRA, $\gamma$	4.98	2.98	4.17	1.89
EIS, $(1/\gamma)$	0.20	0.34	0.24	0.53
ME std $\sigma_\eta$	.19	.19	.18	0.18
(noise)	(60%)	(60%)	(61%)	(61%)
K-S Test: residuals	0.43	0.72	0.55	0.82
K-S Test: cons growth	.001	0.79	0.012	0.85
Notes: K-S test are the p-values for Kolmogorov -Smirnov tests for the equality of the auxiliary model's residual (or consumption growth) distribution obtained from PSID and that from simulated data.				

Table 6: SRE Parameter Estimates

a fairly high degree of impatience for both education groups. Turning to the results for EIS, we note that there is a substantial difference between the IVE and the SRE estimates. The most important substantive finding is that the less educated have a higher CRRA; we shall return to this below. We turn now to the precision of the estimates of the preference parameters.

To conduct inference on the parameter estimates of interest we note that the standard asymptotic Wald tests are inappropriate for nonlinear models. Therefore we adopt a quasi-likelihood ratio test procedure and perform tests of ‘significance’ for the discount factor and CRRA parameters separately. To do this, we define a grid for the parameter in hand and perform SRE for each point on the grid. For example, we fix the discount factor at different values from 0.1 to 1.1 and then estimate the CRRA (and the other parameters) by SRE at each of these points. Since this gives an equation with one degree of over-identification, the appropriate weighting matrix for the criterion should be used. This matrix is the inverse of the covariance matrix of the auxiliary parameters. We obtain this using a nonparametric bootstrap on the original PSID data, in which we re-sample households (that is, we re-sample consumption paths of length 14). Using the inverse of this covariance matrix as the weighting matrix, the minimized function value has a  $\chi^2(1)$  distribution, under the null that the parameter is equal to that value.

The results for these tests for the two preference parameters are presented in the top panel of Figure 1. Note that the  $\chi^2(1)$  statistics are zero at the point estimates; the horizontal line gives the 5% cut-off. Both figures clearly suggest that the distribution of the estimates are decidedly asymmetric for both education groups (confirming the invalidity of using conventional standard errors). The estimates are more precise for the more educated group relative to the less educated; most of this can be attributed to the fact that the sample size for the less educated group is smaller. For the more educated, a point estimate of unity for the discount factor is rejected but not for the less educated. The 95%

confidence interval for the discount factors are  $[.19, 1.05]$  and  $[.60, .99]$  for the less and more educated respectively.

For the CRRA estimates the most important finding is that we decisively reject values below unity or very high values, particularly for the more educated. The confidence intervals for the CRRA are  $[1.9, 5.8]$  and  $[1.4, 3]$  for the less and more educated respectively. This translates into intervals of  $[-.17, .53]$  and  $[-.33, .70]$  for the EIS (compared to of  $[-2.0, 1.0]$  and  $[-0.9, 1.4]$  for the linearised model). This reinforces our earlier analysis that SRE delivers much more precise estimates than the linearised model on the same (noisy) data.

Finally, we perform a joint test for the discount factor and the CRRA to obtain joint confidence regions for both education groups. To do this we perform a grid search over both the discount factor and the CRRA, estimating the other parameters at each pair of points. The results are presented in the bottom panel of Figure 1. For the more educated sample, the discount factor is estimated fairly imprecisely for a given CRRA. This result is somewhat different for the less educated group. For both groups, the joint confidence regions are narrow, somewhat elliptical and 'downward sloping', suggesting that fixing the discount factor too low leads to a higher estimate of the CRRA to compensate.

The results presented here are encouraging. We find that the discount factor can be estimated with some precision, even though we have very small sample sizes. The point estimate for the more educated is higher than that for the less educated, which accords with widespread priors. We find that both groups have a higher discount rate than the mean real rate in our data so that both groups display impatience. We also find reasonable estimates for the CRRA with the low educated displaying more aversion to fluctuations (more risk aversion). This could be taken as evidence against the hypothesis that the eis is independent of the level of consumption (the iso-elastic form); see also Attanasio and Browning (1995), Browning and Crossley (2001) and Atkeson and Ogaki (199?). We also find evidence of considerable measurement error, in line with previous studies. All of this is for the model with the same parameters for everyone within an education group. We now go on to consider whether the the discount rate is the same for everyone with the same education.

### 6.3 Heterogeneity in the discount factor.

Of all the features that empirical analysis using micro data has to address, heterogeneity is perhaps the most important. In this section we present a method to identify the heterogeneity in the discount factor within each education group. We choose to concentrate on heterogeneity in the discount rate rather than the CRRA since that has been the principal focus in the previous literature; see, for example, Carroll and Samwick (199?), Dynan (199?) and Samwick (199?). Our approach to identifying the distribution of discount factors begins with the observation that there are persistent differences between households in their consumption growth. To show this we take means over time of consumption growth for each household. The left hand panel of figure (2) presents the distributions of mean consumption growth for our two education groups. Two features of these

distributions merit attention. First, the distribution for the more educated is to the right of that for the less educated. This is reflected in the higher discount factor found for the former in the homogeneous case. Second, within each education group there is significant heterogeneity. For example, for the more educated the mean consumption growth is about 0.03 but some households have an average consumption growth of more than 0.1 per year (so that consumption in the final year is four times that of the initial year) and others have almost  $-0.1$  (consumption in the final year is one fifth that of the initial year). One reason for these differences is that different households have different realisations of the the expectations errors and some have persistently pleasant shocks. In the SRE modelling this is captured by our use of simulated residuals, with some simulated households having long runs of good or bad draws. The other possible source of variation, if we assume that everyone has the same CRRA and the same measurement error structure, is differences in the discount factor. That is, more patient households have higher expected consumption growth.

To implement an estimator allowing for heterogeneity we first assume that the discount factor is normally distributed across the population with mean  $\mu_\beta$  and standard deviation  $\sigma_\beta$ .<sup>14</sup> In the simulation model we draw values of this,  $\beta_h$ , for each  $h$  and then construct household specific paths using the analogue of equation (18) and simulated residuals  $\varepsilon_{h,t+1}^S$ :

$$\frac{C_{h,t+1}^S}{C_{h,t}^S} = \left\{ \frac{1}{\beta_h(1+r_{t+1})} \varepsilon_{h,t+1}^S \right\}^{-\frac{1}{\gamma}} \quad (21)$$

To estimate the additional parameter  $\sigma_\beta$ , we require one more auxiliary parameter. The obvious candidate is some measure of the dispersion of the time means of consumption growth discussed in the previous paragraph. Specifically, we include a household specific fixed effect in the OLS regression of consumption growth on the real rate and take the standard deviation of these fixed effects as our new auxiliary parameter.

We begin by testing whether the homogenous model is rejected by the data. To do this we take the just identified seven parameter heterogeneity model and set  $\sigma_\beta = 0$  (this gives the homogeneous estimates from the last sub-section). The  $\chi^2(1)$  statistics for homogeneity are 13 and 47 for the less educated and more educated respectively. Thus we decisively reject the homogeneity assumption. Given this rejection we go on to estimate the extent of the heterogeneity. In the right hand panel in Figure (2) we present the results for a grid search over the standard deviation of the discount factor for each of the education groups. The horizontal line gives the 5% cut-off for the standard deviation. The estimation results are presented in table 2 The principal features of these results are: the mean discount rate is very similar to homogenous model; there is significant dispersion of the discount rate with 95% of less educated households between

---

<sup>14</sup> An alternative would be to impose that the discount factor is below unity by taking a distribution with support  $[0, 1]$  (the Beta is an obvious candidate). We choose not to do this since previous investigators have found evidence that some households have discount factors above unity.

Parameters	Low education	High education
Mean discount factor, $\mu_\beta$	.92	.96
Std of discount factor, $\sigma_\beta$	.079	.084
CRRA, $\gamma$	2.96	2.03
EIS, $(1/\gamma)$	.338	.493
ME std, $\sigma_\eta$ (noise)	.19 (61%)	.19 (61%)

Table 7: Heterogeneity SRE estimates

0.76 and 1.08 and 95% of more educated households between 0.79 and 1.12; there is no significant impact of allowing for heterogeneity on the estimates of the CRRA and the measurement error variance. The results indicate a fairly wide distribution for discount factors, even allowing for education. In future work we shall explore how this distribution correlates with observable fixed factors. For now we end by noting that the preference structure given in Table 7 could readily be incorporated into standard intertemporal allocation simulation models.

## 7 Conclusions.

There is widespread agreement that, given currently available data, we cannot accurately estimate the parameters of intertemporal allocation using GMM on exact or approximate Euler equations. Our reading of this literature and our own results is that this is a small sample (strictly, short panel) problem. The alternative seems to be to move to full structural modelling. In the current state of the art this is cumbersome, fragile and unable to deal with significant heterogeneity. To circumvent these problems, we present a novel estimation procedure that combines some of the advantages of the Euler equation and structural modelling approaches. This procedure is based on simulating expectation errors; we refer to it as Simulated Residual Estimation (SRE). The principal advantage of SRE is that it allows us to estimate preference parameters without having to specify the underlying economic environment explicitly. We develop variants of the basic procedure that allow us to take account of measurement error in consumption, the ‘news’ in interest rate realisations and heterogeneity in discount factors.

A Monte Carlo investigation of the small sample properties of the SRE estimator indicates that it dominates GMM estimation of both exact and approximate Euler equations in the case when we have short panels and noisy consumption data. To complement the Monte Carlo results, we present an illustrative empirical application to two samples drawn from the PSID. The results are very encouraging even though we have small sample sizes. We find that we can estimate the parameters of intertemporal allocation much more precisely than with a conventional GMM on a log-linearised model. For example, we find that the 95% confidence interval for the EIS is  $[0.33, 0.70]$  for the more educated

whereas the linearised GMM confidence interval is  $[-0.95, 1.41]$ . Moreover, the parameter estimates seem quite reasonable. For example, we find discount factors that are less than, but close to unity, with a higher discount factor for the more educated group. We also find that the more educated have a higher CRRA. Finally, we present evidence that there is a significant heterogeneity in the discount factor, in both the statistical and substantive sense.

SRE relies on specifying the conditional distribution of the expectations errors. All of the above only uses consumption and interest rate information. The strength that our method shares with the Euler equation approach is that we do not have to specify the income process nor the processes for other relevant variables. Generally, however, one would expect to achieve better identification by using the observed income series for each household. Similarly, if we think that agents are sometimes liquidity constrained so that the Euler equation does not hold, then we need to observe asset information. In general, the Euler equation will only hold if positive assets (or assets above some debt limit) are carried forward. We can model this in an SRE framework but we leave this for future work.

There are a number of further avenues to explore. One of these is to allow for conditionally heteroscedastic expectations errors in the estimation step; that is, allowing that the marginal utility of expenditure is a martingale and not a random walk. One particularly important facet of this is to allow for persistent heterogeneity in expectations error variances across agents. This will require the use of income and asset information. For example, low levels of beginning of period assets will be associated with high expectations error variances. As another example, we showed in section 2 that the distributional assumption we make (a mixture of two log normals) is a poor one if there are sometimes very low income realizations. If we observe income realizations then we can condition the variance (or higher moments) of the expectations error distribution on that. We also plan to use cross-section differences in interest rates due to differences in marginal tax rates and the wedge between borrowing and lending rates. The ultimate goal of this analysis will be the development of credible estimates of the variation in preference parameters across agents. Based on this we can then address whether cross-section variations in the eis are due to (persistent) heterogeneity or to differences in wealth levels. This will lead on to a systematic exploration of alternative forms for the utility function (including the vexed question of whether the iso-elastic assumption is tenable). In the empirical illustration presented in this paper we have largely followed the literature in our modelling assumptions so as to highlight the SRE procedure. In future work on the PSID we shall present analyses based on larger samples with unbalanced panels and some agents only being in the sample for a short period. It will also be important to take coherent account of the fact that food is a sub-component of total expenditure and also to take more careful account of changes in the demographic composition of the household.

To conclude: Simulated Residual Estimation provides a procedure for estimating the parameters of intertemporal allocation without the need for full structural modelling. In estimation we can allow for 'classical' measurement

error in consumption which leads to a good deal of bias in exact Euler equation GMM estimation. Furthermore the SRE procedure is flexible enough to allow us to consider a number of extensions to the conventional model. In this paper we have only considered allowing for heterogeneity in discount factors; in future work we plan to develop some of the other issues discussed above.

#### References

- Altonji, J. G. and A. Siow, (1987) "Testing the Response of Consumption to Income Changes with Noisy Panel Data", *Quarterly Journal of Economics*, 102, 293-328.
- Alvarez, J., M. Browning and M. Ejrnaes, (2001) "Modelling Income Processes with Lots of Heterogeneity" Unpublished manuscript.
- Attanasio, O. P. , J. Banks, C. Meghir, G. Weber, (1999) "Humps and Bumps in Lifetime Consumption", *Journal of Business and Economic Statistics*, 17(1), 22-35.
- Attanasio, O. P. and H. Low, (2000) "Estimating Euler Equations", mimeo, University College London.
- Browning, M., M. Ejrnaes, (2001) "Consumption and Children", Unpublished Manuscript, University of Copenhagen.
- Browning, M. and A. Lusardi, (1996) "Household Saving: Micro Theories and Micro Facts", *Journal of Economic Literature*, December, 1797-1855.
- Carroll, C., (2001) "Death to the Log-Linearized Consumption Euler Equation!", *Advances in Macroeconomics*, Forthcoming.
- Carroll, C. and A. Samwick, (1997) "The Nature of Precautionary Wealth", *Journal of Monetary Economics*, 40, 41-71.
- Cochrane, J. H., (1991) "A Simple Test of Consumption Insurance", *Journal of Political Economy*, vol. 99, no:5, 957-976.
- Deaton, A., (1991) "Saving and Liquidity Constraints", *Econometrica*, 59(5), 1221-1248.
- Dynan K. E., (1993) "How Prudent Are Consumers?", *Journal of Political Economy*, vol. 101, no:6, 1104-1113.
- Gallant, A. R. and G. Tauchen, (1996) "Which Moments to Match?", *Econometric Theory*, 12:657-681.
- Gourieroux, C., A. Monfort and E. Renault, (1993) "Indirect Inference", *Journal of Applied Econometrics*, 1993, 8:S85-S118.
- Gourinchas, P.O. and J. A. Parker, (2001) "Consumption Over the Life Cycle", *Econometrica*, Forthcoming.
- Hall, R. E., (1978) "Stochastic Implications of the Life Cycle-Permanent Income Hypothesis: Theory and Evidence", *Journal of Political Economy*, December, vol. 86, 971-987.
- Hall, G. and J. Rust, (1999) "Econometric Methods for Endogenously Sampled Time Series: The Case of Commodity Price Speculation in the Steel Market", Unpublished Manuscript, University of Yale.
- Hansen, L .P. and K. J. Singleton, (1982) "Generalized Instrumental Variables Estimation of Nonlinear Rational Expectations Models", *Econometrica*, 50(5), 1269-1286.

Hansen, L. P., J. Heaton and A. Yaron, (1996) "Finite Sample Properties of Some Alternative GMM Estimators", *Journal of Business and Economic Statistics*, 14(3):262-280.

Hubbard, R. G., J. Skinner and S. P. Zeldes, (1995) "Precautionary Saving and Social Insurance", *Journal of Political Economy*, vol. 103, no:2, 360-399.

Ludvigson, S. and C. Paxson, (2001) "Approximation Bias in Linearized Euler Equations", *Journal of Economics and Statistics*, vol. 83, no:2, 242-256.

Mace, B. J., (1991) "Full Insurance in the Presence of Aggregate Uncertainty", *Journal of Political Economy*, vol. 99, no:5, 928-956.

Runkle, D. E., (1991) "Liquidity Constraints and The Permanent Income Hypothesis", *Journal of Monetary Economics*, 27, 73-98.

Shapiro, M. D., "The Permanent Income Hypothesis and the Real Interest Rate", *Economics Letters*, 1984, 14, 93-100.

Tauchen, G., (1986) "Finite State Markov Chain Approximations to Univariate and Vector Autoregressions", *Economics Letters*, 20, 177-181.

## A Appendix: Consumption Function

We assume the utility function is intertemporally additive and the sub-utilities are iso-elastic (with no durables and no demographics). The problem of the generic consumer  $h$  is

$$\begin{aligned} \max E_t \left[ \sum_{j=0}^{T-t} \frac{(C_{h,t+j})^{1-\gamma}}{1-\gamma} \frac{1}{(1+\delta)^j} \right] \\ \text{s.t. } A_{h,t+j+1} = (1+r_{h,t+j})A_{h,t+j} + Y_{h,t+j} - C_{h,t+j} \end{aligned}$$

where  $C$  is non-durable consumption,  $A$  is assets,  $Y$  is stochastic labor income and  $r$  is stochastic real interest rate. We assume finite life and end of life  $T$  is certain. The discount rate  $\delta$  and the coefficient of risk aversion  $\gamma$  are positive. Our generic consumer has no bequest motive so that  $A_{T+1} = 0$ . The stochastic process driving labor income is taken to be that described before Table 1. We assume that the innovations to income are independent over time and across individuals i.e. we assume away aggregate shocks to income. Individuals can use only one asset to smooth their consumption against these idiosyncratic income shocks. The return on this asset (interest rate) is generated by an AR(1) process:

$$r_{h,t+1} = (1-\rho)\mu + \rho r_{h,t} + \epsilon_{h,t+1} \quad (22)$$

where  $\mu$  is the unconditional mean,  $\rho$  is AR(1) coefficient with  $0 < \rho < 1$ , and  $\epsilon_{t+1}$  is assumed to be *iid* Normal with mean 0 and standard deviation  $\sigma_\epsilon$ .

Following Deaton(1991), the budget constraint is re-defined as

$$X_{h,t+j+1} = (1+r_{h,t+j+1})(X_{h,t+j} - C_{h,t+j}) + Y_{h,t+j+1} \quad (23)$$

where  $X_{h,t+j} = A_{h,t+j} + Y_{h,t+j}$  (cash on hand). Having a nonstationary income process makes the problem harder to solve since the range of possible income values is too large. Instead, we redefine all the relevant variables in terms of their ratios to current income and solve for the consumption to income ratio. By doing this we reduced the number of state variables to two, namely cash on hand to income ratio and interest rate. Moreover, we obtain an iid income process which can be approximated by standard Quadrature methods. Given this redefinition of the relevant variables, the Euler equation can be written as

$$\theta_t(w_t, r_t)^{-\gamma} - \frac{1}{(1+\delta)} E_t [(1+r_{t+1})\theta_{t+1}(w_{t+1}, r_{t+1})^{-\gamma} z_{t+1}^{-\gamma}] = 0 \quad (24)$$

where  $\theta_t = \frac{C_t}{Y_t}$ ,  $w_t = \frac{X_t}{Y_t}$ .

The problem is solved via policy function iteration using the terminal value condition. At the terminal date  $T$ , consumption is function of only cash on hand and since the bequest motive is assumed away  $\theta_T = w_T$ .



For the income process, we use 10 point Gaussian Quadrature and following Tauchen (1986) we approximate the interest rate process by forming a 10 point first order discrete Markov process. We use a cubic spline to approximate the consumption function at each iteration. Since we solve a finite life problem, we obtain  $T$  consumption-to-income ratio functions  $\{\theta_1(w_1, r_1), \dots, \theta_T(w_T)\}$ .

Table 3 reports the parameter values used in the solution and the simulation of the model described above. The agent is allowed to borrow the amount he can pay back with certainty. In the infinite life case this would correspond to the borrowing limit of  $\frac{\min Y}{\max r}$ . The discount rate and the mean interest rate are chosen to be equal in order to prevent consumers to quickly go towards the borrowing constraint. When the discount rate is large relative to the interest rate, consumers borrow close to the maximum possible amount. Then the movement of consumption is largely driven by income and the identification of interest rate impact on consumption growth becomes very difficult.

We initialize the algorithm with the consumption rule at the end of life  $c_T(x_T) = x_T$ . So we have assumed away the bequest motive. The constraint on borrowing is that at the end of the life person should pay back all his outstanding debt. In practice this constraint will never bind because the functional form of the utility function implies that zero consumption is assumed away, since it results in marginal utility going to infinity. Instead we will observe very impatient individuals getting very close to the borrowing limit, whereas it will be irrelevant for the patient ones. Since we do not assume an explicit borrowing limit as in Deaton (1991), the consumption functions are continuously differentiable. In fact, in our case where agents have iso-elastic preferences and income uncertainty, consumption functions are strictly concave (see Carroll and Kimball 1996). In order to solve the problem, we define an exogenous grid for the cash on hand to income ratio:  $\{x_j\}_{j=1}^J$ . It is important to adjust the grid as the solution goes back in time. The algorithm finds the consumption that makes the standard Euler equation hold for each value of  $x$  and  $r$ . In practice, we took 100 points for  $x$  and 10 points for  $r$ . After obtaining  $c_{T-1}$ , we use a cubic spline to approximate  $c_{T-1}(x_{T-1})$  for each  $r$ . After obtaining the consumption functions for each age, we simulate life time consumption paths using the intertemporal budget constraint and generating random draws for income and interest rate. Generated paths differ due to different realizations of income and interest rates for each individual.

For our Monte Carlo experiment we generate 80 period consumption paths for ex ante identical consumers. Individuals are assumed to face the same interest rate series. Therefore individuals' consumption paths differ due only to different income realizations. Although it is possible to allow for cross section variation in the interest rate we believe it is more plausible to assume only time series variation. We do several experiments by using different time period ( $T$ ) and number of individuals ( $N$ ) in the estimations. For example in the first case we estimate the model using  $T = 40$  and  $N = 50$ . This corresponds to a case where the researcher has a 40 period panel on 50 individuals.




Figure 1: Inference for Homogenous Model




Figure 2: Distribution of mean consumption growth and inference on standard deviation of discount factor